

Hystax Acura

Installation Guide (AWS)




Overview

Hystax is a cloud migration and Disaster Recovery company focusing on consistent replication of IT workloads and providing real-time migration and Best-In-Class Disaster Recovery.

To deploy the Hystax Acura solution, a customer needs to request Hystax (info@hystax.com) to provide an AMI and a CloudFormation template of the solution and follow the steps described in this document.


Installation steps

1. Create a stack from the provided link to a CloudFormation template with Hystax Acura.
 - Select the “All Service” tab. Select the “CloudFormation” tab in the “Management & Governance” section.



The screenshot shows the AWS Services console interface. At the top, there is a search bar for finding services. Below that, a section titled 'Recently visited services' shows 'CloudFormation' and 'Billing'. The main area displays a grid of service categories. The 'All services' tab is selected and highlighted with a red box. Within the 'Management & Governance' category, 'CloudFormation' is highlighted with a red box. Other categories include Compute, Storage, Database, Migration & Transfer, Developer Tools, Customer Enablement, Robotics, Blockchain, Satellite, Machine Learning, Analytics, Security, Identity, & Compliance, Mobile, AR & VR, Application Integration, Customer Engagement, Business Applications, and End User Computing.


- To create a new stack, click on the “Create Stack” button.



- Insert the provided link. Click on the “Next” button.

Select Template

Select the template that describes the stack that you want to create. A stack is a group of related resources that you manage as a single unit.



- On the next page you will need to fill in the following fields:
 - Enter a stack name.
 - Enter an IP address from which access to HLCM's monitoring tools is allowed.
 - Enter a network for opening ports 443, 4443, 80 & 12201 (0.0.0.0/0 = public address).
 - Enter a network for VPC used by HLCM.
 - Enter an appropriate key-pair.

Note: Adding a key pair during Acura’s deployment is highly recommended to provide you with SSH access to the machine. Although Hystax Engineering team will be able to perform maintenance checks and troubleshooting (as long as the network is reachable and your security groups allow the corresponding traffic), it is better to have your own means of accessing the Acura instance. Please refer to [AWS official documentation on using SSH public-private key pairs](#).

Click the “Next” button.

Specify Details

Specify a stack name and parameter values. You can use or change the default parameter values, which are defined in the AWS CloudFormation template. [Learn more.](#)

Stack name

Parameters

AllowedNetCIDR Network CIDR from which access to HLCM's monitoring tools is allowed

HLCMUSERIP CIDR for opening ports 443, 4443, 80 & 12201 (0.0.0.0/0 = public address)

HLCMVPCCIDR CIDR for VPC used by HLCM

KeyName SSH Key for Controller and Agents

- On this page you do not need to specify anything, just click the “Next” button.

Options

Tags

You can specify tags (key-value pairs) for resources in your stack. You can add up to 50 unique key-value pairs for each stack. [Learn more.](#)

	Key (127 characters maximum)	Value (255 characters maximum)	
1	<input type="text"/>	<input type="text"/>	<input type="button" value="+"/>

Permissions

You can choose an IAM role that CloudFormation uses to create, modify, or delete resources in the stack. If you don't choose a role, CloudFormation uses the permissions defined in your account. [Learn more.](#)

IAM Role Enter role arn

Rollback Triggers

Rollback triggers enable you to have AWS CloudFormation monitor the state of your application during stack creation and updating, and to rollback that operation if the application breaches the threshold of any of the alarms you've specified. [Learn more](#)

Monitoring Time Minutes
Minimum value of 0. Maximum value of 180.

			Available triggers remaining: 5
	Type	ARN (Amazon Resource Name)	
1	AWS::CloudWatch::Alarm	<input type="text"/>	<input type="button" value="+"/>

- Check the box to confirm that you are familiar with the fact that AWS CloudFormation might create IAM resources. Click the “Create” button.

Review

Template

Template URL https://hystax-eu-fra.s3.eu-central-1.amazonaws.com/CF_Hystax_Acura_VA_DR_release_3_1
Description Deploy Hystax Live Cloud Migration (HLCM) to your AWS env
Estimate cost Link is not available

Details

Stack name: e
AllowedNetCIDR: e
HLCMUSERIP: 0.0.0.0/0
HLCMVPCCIDR: 10.42.42.0/24
KeyName: hx-key

Options

Tags

No tags provided

Rollback Triggers

No monitoring time provided

No rollback triggers provided

Advanced

Notification:
Termination Protection: Disabled
Timeout: none
Rollback on failure: Yes

Capabilities

ⓘ The following resource(s) require capabilities: [AWS::IAM::Role]
 This template contains Identity and Access Management (IAM) resources that might provide entities access to make changes to your AWS account. Check that you want to create each of these resources and that they have the minimum required permissions. [Learn more](#).

I acknowledge that AWS CloudFormation might create IAM resources.


- Please wait while the stack is being created. It may take up to 20 minutes.
2. Open a web browser and go to https://<ip_address_of_the_machine>/. You will be redirected to the Hystax Setup Wizard. After you perform all the steps, the installation will be complete, and you will be able to start using Hystax Acura.
 3. **Step 1:** Enter the organization name and new Hystax Admin User credentials into the Setup Wizard. This will be the user account for logging in to the Hystax Acura Control Panel and managing the system. If there are any errors, the system will notify you.

- Step 2:** Fill in your Hystax License key that was supposed to be shared with you in advance as well as the settings for accessing your mail server, which will be used to send notifications from Acura and generate periodic reports.

Note: SMTP server with TLS/SSL encryption is required to proceed with deployment.

If you prefer a public SMTP server associated with your email address (gmail, yahoo etc.), please find its settings online. In case of a private SMTP server, contact your network administrator for further details.

A sample notification will be sent to the specified “Test email” to verify the functionality when you click “Next”.




The screenshot shows the Hystax configuration interface. At the top, the Hystax logo is displayed. Below it, a progress bar indicates four steps: Step 1 (Admin user creation), Step 2 (SMTP configuration), Step 3 (Target cloud configuration), and Step 4 (Log in). Step 2 is currently active. Below the progress bar, a message states: "In order to be able to send email notifications, a mail server configuration must be introduced during initial configuration of Hystax Acura. Please enter valid SMTP settings as well as the provided license key." The form contains the following fields:


- License key* (text input)
- Encryption type* (dropdown menu, currently set to SSL)
- SMTP server* (text input)
- SMTP port* (text input)
- SMTP username* (text input)
- SMTP password* (text input)
- Test email* (text input)

Each field has a question mark icon to its right. A "Next" button is located at the bottom right of the form. At the bottom of the page, there are links for "Hystax Support Portal", "Terms of use", and "Help", along with the copyright notice "© 2021 | Hystax | All rights reserved".

5. **Step 3:** Click the “Next” button.



6. **Step 4:** Installation is complete, and you can now log in to the system using credentials entered in the previous step.



Troubleshooting

Hystax Acura automatically checks cloud access and necessary permissions for assuring successful operation. It provides detailed error messages that describe their potential causes. In case of an error, please check the correctness of data entered and availability of the necessary permissions.

Feel free to use the contact details below to reach Hystax support in case you have any questions or difficulties with the installation process. Hystax Support Portal is available at <https://support.hystax.com/>, which includes all articles from our Knowledge Base. You can also submit support requests in your personal account.

Contacts

Email: support@hystax.com

Phone: +16282511280 Address: 1250 Borregas Avenue Sunnyvale, CA 94089